

Glass Fiber Mesh Cloth



Description:

Alkaline coated fiber mesh is suitable for those applications that require additional strength and resistance. Coated fiber glass mesh is designed to work as reinforcement in cementation applications such as an underlayment for floor or countertops in new construction and remodeling. The fiberglass mesh provides dimensional stability and enhances performance.

Specification:

Item	Width (mm)	Tex		Mesh (mm)	Mesh/Inch	Fabric	Latex	Weight (g/cm ²)	Tensile Strength (N/25mm)	
		Warp	Weft						Warp>	Weft
1	1000 to 1800	45x2	180	5x5	5	union	18%	60	138	280
2	1000 to 1800	67x2	220	5x5	5	union	18%	80	205	330
3	1000 to 1800	67x2	300	5x5	5	union	18%	105	205	450
4	1000 to 1800	100x2	300	5x5	5	union	18%	120	285	450
5	1000 to 1800	133x2	300	5x5	5	union	18%	135	395	450
6	1000 to 1800	133x2	440	5x5	5	union	18%	165	395	660
7	1000 to 1800	45x2	180	4x4	6	union	18%	70	165	280
8	1000 to 1800	67x2	220	4x4	6	union	18%	85	240	330
9	1000 to 1800	67x2	300	4x4	6	union	18%	110	240	450
10	1000 to 1800	100x2	300	4x4	6	union	18%	140	360	450
11	1000 to 1800	133x2	300	4x4	6	union	18%	160	480	450

12	1000 to 1800	133x2	440	4x4	6	union	18%	185	480	660
13	1000 to 1800	45x2	180	4x4	6	union	18%	85	165	340
14	1000 to 1800	67x2	220	4x4	6	union	18%	110	240	398
15	1000 to 1800	67x2	300	4x4	6	union	18%	130	240	560
16	1000 to 1800	100x2	300	4x4	6	union	18%	150	360	560
17	1000 to 1800	133x2	300	4x4	6	union	18%	170	480	560
18	1000 to 1800	133x2	440	4x4	6	union	18%	205	480	750
19	1000 to 1800	33x2	67	3.2x3.2	8	union	22%	50	160	180
20	1000 to 1800	300x2	67	2.5x2.5	10	union	22%	60	200	225
21	580 to 1220	300x2	300	10x10	2.5	union	20%	110	600	300
22	580 to 1220	300x2	440	10x10	5.5	union	20%	125	600	400
23	580 to 1220	440x2	440	10x10	2.5	union	20%	165	800	400
24	580 to 1220	440x2	660	10x10	2.5	union	20%	185	800	580



TAIZHOU KINGLAND SEALING MATERIALS CO.,LTD

No.8,Lunjiang Road ,Dalun Industrial Zone,Jiangyan ,Taizhou ,Jiangsu ,P.R.China 225504

Tel:+86-523-88342320

Fax:+86-523-88324508

E-mail:info@kinglandsolutions.com

<http://www.kinglandsolutions.com>